

Western Cartridge Co.

SUPER-X.22 BOXES

1931-1960

CHECKLIST

2014 REMAKE

Roger E. Huegel, Layout and Publication Dave Clemence, Collections and Reference

SECTION IV

W.R.F.

- 1. WRF
- 2. WRF HOLLOW POINT

W.R.F.



WRF-1





SUPER-X 22 W. R. F.

These cartridges are loaded with smokeless powder and bullets coated with Lubeloy (lubricating alloy) by a new process. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed. Pat. U. S. A. 1,732,211.

WESTERN CARTRIDGE CO., East Alton, Ill., U.S.A.

SUPER-X Long Range Cartridges

Super-X cartridges have greatly increased range and killing power and maximum accuracy. Because of their high velocity, flat trajectory and short time of flight they require less sight adjustment.

SUPER-X Long Range Cartridges

Double Action Smokeless Powder— **Suboloy** coated bullets—Non-corro-sive priming—will not rust or foul the bore of the gun. Adapted to all standard rifles having standard chambers and bore dimensions of the .22 W. R. F. cartridge.

WRF-2



SUPER-X 22 W. R. F.

These cartridges are loaded with smokeless powder and builets coated with Eubelovy (lubricating alloy) by a new process. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed. Pat. U. S. A. 1,732,211.

WESTERN CARTRIDGE CO., East Alton, III., U.S.A.



Double Action Smokeless Powder

Exhaloy coated bullets - Non-corrosive priming-will not rust or foul the bore of the gun. Adapted to all standard rifles having standard chambers and bore dimensions of the .22 W. R. F. cartridge.

SUPER-X Long Range Cartridges

W.R.F.

WRF-3



SUPER-X 22 W. R. F. Leaded with smokeless powder and builets coated with Lussakoy (lubricating alley) by a new process. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed. Pat. U. 5. A. 1,709,889, 1,709,889, 1,709,899, 1,709,899, 1,709,670, 1,712,211, 1,907,218, P. C. N. S. Par, ore. MAULINICAL Season and measure correct Western Cartridge Co., East Almon, III., U.S.A.

Double Action Smokeless Powder

Eubeloy coated bullets — Non-corrosive priming—will not rust or foul the bore of the gun. Adapted to all standard rifles having standard chambers and bore dimensions of the .22 W. R. F. cartridge.

SUPER-X Long Range Cartridges

Super-X cartridges have greatly increased range and killing power and maximum accuracy. Because of their high velocity, flat trajectory and short time of flight they require less sight adjustment.

WRF-3.5

K1234R



SUPER-X 22 W. R. F. Leaded with smokeless powder and bullets coated with Eumostory (lubricating alloy) by a new process. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed, Pat. U. S. A. 1,709,869, 1,709,869, 1,709,869, 1,709,870, 1,709,27,218, 872, 0. 2. Par. GIV. MINISTERN CARTRIDGE CO., East Almon, III., U.S.A.

Same as
WRF-3
except
K1234R
stamped on
front

Double Action Smokeless Powder

Lubeloy coated bullets — Non-corrosive priming—will not rust or foul the bore of the gun. Adapted to all standard rifles having standard chambers and bore dimensions of the .22 W. R. F. cartridge.

SUPER-X Long Range Cartridges



W.R.F.

WRF-4





SUPER-X 22 W. R. F.

Loaded with smokeless powder and bullets coated with Lubealory (lubricating alloy) by a new process.

Reasonable wire in the manufacture of these cartridges is guaranteed, but no further responsibility is an sumed. Pat. U. S. A. 1,732,211.

MES. U. S. PAY, OFF. MADEINELLA MARCA REG. MARQUE EUPOSEE WESTERN CARTRADGE CO., East Alton, III., U. S. A.

Double Action Smokeless Powder

Eubaloy coated bullets — Non-corrosive priming—will not rust or foul the bore of the gun. Adapted to all standard rifles having standard chambers and bore dimensions of the .22 W. R. F. cartridge.

K1234R

SUPER-X Long Range Cartridges

W.R.F.

WRF-5

K1234R



SUPER-X 22 W. R. F.

Loaded with smokeless powder and builets coated with Lusbasery (lubricating alley) by a new process. Reasonable care in the manufacture of these car tridges is guaranteed, but no further responsibility is assumed. Pat. U. S. A. Machan. Canada 344,944.

MESTERN CARTRIDGE CO., East Alson, Ill., U.S. A.
WESTERN CARTRIDGE CO., East Alson, Ill., U.S. A.

Double Action Smokeless Powder

Builets coated with Lubaloy—Noncorrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W. R. F. cartridge loaded to increased pressure and velocity. K1234R

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

WRF-5a

K1234R



11BN overstamp on left end flap tab

11BN over-

stamp on

right end

flap tab

SUPER-X 22 W. R. F.

Loaded with amokeless powder and bullets chated with Euroscopy (fubricating alloy) by a new process. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed. Pat. U. S. A.

Loolow Lipoz.244, 1907.218, 1,722.211, Canada 344.944.

**EX. W. S. PAT, SPF, WAST IN C. S. A. MARCHA DEPOSES.

WESTERN CARTRIDGE CO., East Alton, Ill., U.S. A.

Double Action Smokeless Powder

Bullets coated with Lubaloy—Noncorrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W. R. F. cartridge loaded to increased pressure and velocity. K1234R

SUPER-M Long Range Cartridges

W.R.F.

WRF-6



K1234R



SUPER-X 22 W. R. F. Loaded with amokaless powder and bullets coated with Lathodory (Jubricating alloy) by a new process, Reasonable care in the manufacture of these tartridges is guaranteed, but no furtridges is guaranteed, but no

Double Action Smakeless Powder

Eubaloy coated bullets — Non-corrosive priming—will not rust or foul the bore of the gun. Adapted to all standard rifles having standard chambers and bore dimensions of the .22 W. R. F. cartridge. K1234R

SUPER-X Long Range Cartridges

Super-X cartridges have greatly increased range and killing power and maximum accuracy. Because of their high velocity, flat trajectory and short time of flight they require less sight adjustment.

WRF-7







Double Action Smokeless Powder

Bullets coated with Lubaloy—Noncorrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W. R. F. cartridge loaded to increased pressure and velocity. K1234R

SUPER-X Long Range Cartridges These cartridges are loaded to in

AND ASSESSMENT

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

W.R.F.





K1234R



Double Action Smokeless Powder

Bullets coated with Lubaloy — Noncorrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W. R. F. cartridge loaded to increased pressure and velocity. K1234R

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

WRF-9







SUPER-X 22 W. R. F.

Loaded with smokeless powder and bullets coated with Eubadoy (lubricating alloy) by a patented process. Reasonable care in the manufacture of these certridges is guaranteed, but no further responsibility is assumed. U. S. Pat. Nos. 2,106,107, 2,008,889, 1,732,211; Canada 256,943.

WESTERN CARTRIDGE COMPANY, East Alton, III., U. S. A.

SUPER-LONG RANGE .22 W. R. F.

CAUTION I
Dangerous within
1 Mile

Double Action Smokeless Powder

Bullets coated with **Lubeloy** — Noncorrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W. R. F. cartridge loaded to increased pressure and velocity. K1234R

SUPER-X Long Range Cartridges

W.R.F.





K1234R



Made in U.S. A.

SUPER-X 22 W. R. F.

Loaded with amokeless powder apit bullets coated with Eubedory (lubricating alley) by a patented process. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed. U. S. Pat. Nos. 2,106,107, 2,008,869, 1,732,211; Canada 296,243.

WESTERN CARTRIDGE COMPANY, East Alten, III., U. S. A.



CAUTION I Dangerous within 1 Mile

Double Action Smokeless Powder

Bullets coated with Lubaloy - Noncorrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W. R. F. cartridge loaded to increased pressure and velocity. K1234R

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

WRF-11







Mode in U. S. A.

SUPER-X 22 W. R. F.

Loaded with smokeless powder and bullets coated with Eubadoy. (Jubricating alloy) by a patented process. Reasonable care in the manufacture of these cartridges is guaranteed, but nu further responsibility is assumed. U. S. Pat. Nos. 2,156,942, 2,106,107, 2,009,556, 2,008,889, 1,732,211, Canada 296,943.

WESTERN CARTRIDGE COMPANY, East Alton, III., U. S. A.



CAUTION!
Dangerous within
1 Mile

Double Action Smokeless Powder

Bullets coated with **Lubaloy** — Noncorrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W. R. F. cartridge loaded to increased pressure and velocity. K1234R

SUPER-X Long Range Cartridges

✓

W.R.F.

WRF-

12

K1234R



Made in U.S.A.

SUPER-X 22 W. R. F.

Loaded with amekaless powder and bullets coated with Eubodov (lubricating alloy) by a patented process. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed. U.S. Pat. Nes. 2,156,942,2,106,107,2,000,556:2,000,888, 1,732,211, Canada 256,943.

WESTERN CARTRIDGE COMPANY, East Altur, III., U. S. A.



RANGE 1 MILE BE CAREFUL

Double Action Smokeless Powder

Bullets coated with Lubeloy - Noncorrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W. R. F. cartridge loaded to increased pressure and velocity. K1234R

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

WRF-12.5

K1234R



LUBRICATED

OH: C 00

SUPER-X 22 W. R. F.

Loaded with smokeless powder and builds coated with Eulandey (lubricating alloy) by a new process. Reasonable cars in the manufacture of these cartridges is guaranteed, but no fur-

tridges is guaranteed, but no further responsibility is assumed. Pat. U. S. A. 1,732,211, 1,992,244.

WESTERN CARTRIDGE CO., East Alton, Ill., U.S. A.



Double Action Smokeless Powder

Lubaloy coated bullets — Non-corrosive priming—will not rust or foul the bore of the gun. Adapted to all standard rifles having standard chambers and bore dimensions of the .22 W. R. F. cartridge.

SUPER-X Long Range Cartridges

W.R.F.

WRF-13



K1234R



SUPER-X 22 W. R. F. (Rem. Spl.)

Loaded with smokeless powder and Lubaloy conted bullets. Restonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed. Made under one or more of the following patents: U. S. 265230, 2235298, 2156942, 2150653, 2111075, 2106107, 2008889, 1862914, 1732211, Canada 296943.

WESTERN CARTRIDGE COMPANY, East Above. IIL. U. S. A.



Double Action Smokeless Powder

Builets coated with Lubeloy - Noncorrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W. R. F. cartridge loaded to increased pressure and velocity. K1234R

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.



W.R.F.

WRF-14



K1234R



SUPER-X 22 W. R. F. (Rem. Spl.)

Loaded with smokeless powder and Lubsloy coated bullets. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W. R. F. cartridge loaded to increased pressure and velocity. Made under one or more of the following patents: U. S. 2265230, 2235298, 2156942, 2150653, 2111075, 2106107, 200888, 1862914, 1732211, Ganada 296943.

WESTERN CARTRIDGE COMPANY, East Altun, III., U. S. A.



Double Action Smokeless Powder

Bullets coated with Lubaloy — Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.

K1234R

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

WRF-15





SUPER-X 22 W. R. F. (Rem. Spl.)

Loaded with smokeless powder and Lubaloy coated bullets. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W. R. F. cartridge loaded to increased pressure and velocity.

Made in U.S. A.

WESTERN CARTRIDGE COMPANY, East Alter, III., U. S. A.

SUPER LONG RANGE 22 W. R. F.

Double Action Smokeless Powder

Bullets coated with Lubaloy by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.

K1234R

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

W.R.F.

WRF-16



K1234R



SUPER-X 22 W. R. F. (Rem. Spl.)

Loaded with smokeless powder and Lubaloy bullets. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W.R.F. cartridge loaded to increased pressure and velocity.

MADE IN U. S. A.

W. R. F

Ñ

RANGE 1 MILE BE CAREFUL

WESTERN CARTRIDGE COMPANY, East Alten, III., U.S.A.

Double Action Smokeless Powder

Bullets plated with Lubaloy by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.

K1234R

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

WRF-17





SUPER-X 22 W. R. F. (Rem. Spl.)

Loaded with smokeless powder and Lubaloy bullets. Adapted to arms having standard chambers and bare dimensions suitable for the 22 W.R.F. cartridge loaded to increased pressure and velocity.

MADE IN U. S. A.

WESTERN CARTRIDGE COMPANY, East Alten, III., U.S.A.

SUPER LONG PARCE 22 W. R. F.

Double Action Smokeless Powder

Lubaloy bullets are plated by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.

K1234R

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

W.R.F.

WRF-18





SUPER-X 22 W. R. F. (Rem. Spl.)

Loaded with smokeless powder and Lubaloy bullets. Adopted to arms having standard chambers and bore dimensions suitable for the 22 W.R.F. cartridge loaded to increased pressure and velocity.

MADE IN U. S. A.



Double Action Smokeless Powder

Lubaloy bullets are plated by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

WRF-19





SUPER-X 22 W. R. F. (Rem. Spl.)

Loaded with smokeless powder and Lubaloy bullets. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W.R.F. cartridge loaded to increased pressure and velocity.

WESTERN CARTRIDGE COMPANY, East Alten, III., U.S.A.



Double Action Smokeless Powder

Lubaloy bullets are plated by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.



W.R.F.

WRF-20





This box is full of Win. Dummy cartridges with the Win.

"H" headstamp. The SUPER-X is crossed out in red
marker on both ends.

W.R.F.

WRF-21

SX22WRF



SUPER-X 22 W. R. F. (Rem. Spl.)

Loaded with smokeless powder and Lubaloy bullets. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W.R.F. cartridge loaded to increased pressure and velocity.

OLIN HATHIESON CHEMICAL CORPORATION



Double Action Smokeless Powder

Lubaloy bullets are plated by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

WRF-22

SX22WRF



SUPER-X 22 W. R. F. (Rem. Spl.)

Loaded with smokeless powder and Lubaloy bullets. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W.R.F. cartridge loaded to increased pressure and velocity.

OLIN MATHIESON CHEMICAL CORPORATION



Double Action Smokeless Powder

Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

W.R.F.—HOLLOW POINT







SUPER-X Long Range Cartridges

Super-X cartridges have greatly increased range and killing power and maximum accuracy. Because of their high velocity, flat trajectory and short time of flight they require less sight adjustment. SUPER-X Long Range Cartridges
Double Action Smokeless Powder—
Eubaloy coated hollow point bullets
—Non-corrosive priming—will not rust
or foul the bore of the gun. Adapted
to all standard rifles having standard
chambers and bore dimensions of the
22 W. R. F. cartridge.





Flaps are on reverse ends from others in this series.



SUPER-X Long Range Cartridges

Super-X cartridges have greatly increased range and killing power and maximum accuracy. Because of their high velocity, flat trajectory and short time of flight they require less sight adjustment. SUPER-X Long Range Cartridges
Double Action Smokeless Powder—
Eubeloy coated hollow point bullets
—Non-corrosive priming—will not rust
or foul the bore of the gun. Adapted
to all standard rifles having standard
chambers and bore dimensions of the
22 W. R. F. cartridge.

W.R.F.—HOLLOW POINT

WRF-HP-3



SUPER-X 22 W. R. F. H. P. These cartridges are loaded with smokeless powder and hollow point bullets coated with East-bodoy (lubricating alley) by a new process. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed. Pat. U. S. A. 1,732,211. MAGENTAL MADERIES. A. GANDER REASON MADERIAL ASSOCIATION, III., U.S.A. WESTERN CARTRIDGE CO., East Alton, III., U.S.A.

Double Action Smokeless Powder Exhabitor coated hollow point bullets —Non-corrosive priming—will not rust or foul the bore of the gun. Adapted to all standard rifles having standard chambers and bore dimensions of the .22 W. R. F. cartridge.





Double Action Smokeless Powder

Expectory coated hollow point bullets
—Non-corrosive priming—will not rust
or foul the bore of the gun. Adapted
to all standard rifles having standard
chambers and bore dimensions of the
.22 W. R. F. cartridge. K1235 R

Super-X cartridges have greatly increased range and killing power and maximum accuracy. Because of their high velocity, flat trajectory and short time of flight they require less sight adjustment.

SUPER-X Long Range Cartridges

K1235R stamped on front ^^

W.R.F.—HOLLOW POINT

WRF-HP-4

K1235R



SUPER-X 22 W. R. F. (H. P.) These cartridges are loaded with smokeless powder and hollow point bullets coated with Embaloy (jubricating alloy) by a new process. Reasonable care in the manufacture of these car-(Hollow Point) 70 tridges is guaranteed, but no further responsibility is assumed. Pat. U. S. A. 1,732,211, 1,907,218. N west tree. BARRIER S. S. S. MARCA STR. WESTERN CARTRIDGE CO., East Alton, III., U. S. A.

Double Action Smokeless Powder Eubaloy coated hollow point bullets -Non-corrosive priming-will not rust or foul the bore of the gun. Adapted to all standard rifles having standard chambers and bore dimensions of the 22 W. R. F. cartridge.

SUPER-X Long Range Cartridges Super-X cartridges have greatly increased range and killing power and maximum accuracy. Because of their high velocity, flat trajectory and short time of flight they require less sight adjustment.

U

m

K1235R stamped on front ^^





Double Action Smokeless Powder **Lubeloy** coated hollow point bullets -Non-corrosive priming-will not rust or foul the bore of the gun. Adapted to all standard rifles having standard chambers and bore dimensions of the .22 W. R. F. cartridge.

SUPER-X Long Range Cartridges Super-X cartridges have greatly increased range and killing power and maximum accuracy. Because of their high velocity, flat trajectory and short time of flight they require less sight adjustment

K1235R stamped on front ^^

W.R.F.—HOLLOW POINT

WRF-HP-6

K1235R



LUBRICATED



Double Action Smokaless Powder

Non-corrosive priming—will not rust or foul the bore of the gun. Adapted to all standard rifles having standard chambers and bore dimensions of the .22 W. R. F. cartridge.

SUPER-X Long Range Cartridges

Super-X cartridges have greatly increased range and killing power and maximum accuracy. Because of their high velocity, flat trajectory and short time of flight they require less sight adjustment.

WRF-HP-7

K1235R

11CN on inner flap of left end





Double Action Smokeless Powder

Lubeloy coated hollow point bullets

Non-corrosive priming—will not rust
or foul the bore of the gun. Adapted
to all standard rifles having standard
chambers and bore dimensions of the
.22 W. R. F. cartridge.

K1235R

SUPER-X Long Range Cartridges

W.R.F.—HOLLOW POINT

WRF-HP-8

K1235R



SUPER-X 22 W. R. F. (H.P.)

These cartridges are leaded with smokeless powder and hollow point builts coated with Lashaboy (lubricating alloy) by a new process. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed. Pat. U. S. A. 1,732,211, 1,932,245.

WESTERN CARTRIDGE CO., East Alton, Ill., U.S.A.



CAUTION!
Dangerous within
1 Mile

Double Action Smokeless Powder

Builets coated with **Lubeloy** and Western lubricant. Non-corrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the .22 W. R. F. cartridge loaded to increased pressure and velocity.

K1235R

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

WRF-HP-9

K1235R

NO 11CN on inner flap of left end





Double Action Smokeless Powder

Bullets coated with Lubaloy and Western lubricant. Non-corrosive priming. Adapted to arms having standard chambers and bore dimensions for the .22 W. R. F. cartridge loaded to increased pressure and velocity. K1235R

SUPER-X Long Range Cartridges

W.R.F.—HOLLOW POINT

WRF-HP-10

K1235R

11CN on inner flap of left end





Double Action Smokeless Powder

Bullets coated with Eubatoy—Noncorrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W. R. F. cartridge loaded to increased pressure and velocity. K1235R

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

WRF-HP-11

K1235R



SUPER-X 22 W. R. F. (H. P.)

Loaded with smokeless powder and hollow point hullets coated with Eubhaley (lubricating alloy) by a patented process. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed. U. S. Pat. Nos. 2,105,107, Made in U. S. A. 2,008,889, 1,732,211, Can. 296,943.

WESTERN CARTRIDGE CO., East Alten, III., U. S. A

Dangerous within 1 Mile SUPER LONG RANGE 22 W. R. F. (Hollow Point)

Double Action Smokeless Powder

Bullets coated with **Lubaloy** — Noncorrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the .22 W. R. F. cartridge loaded to increased pressure and velocity.

K1235F

SUPER-X Long Range Cartridges

W.R.F.—HOLLOW POINT



K1235R



SUPER-X 22 W. R. F. (H. P.)

Loaded with smokeless powder and hollow point bullets coated with Lubeley (lubricating alloy) by a patented process. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed. U. S. Pat. Nos. 2,106,107, Made in U. S. A. 2,008,889, 1,732,211, Can. 296,943.

WESTERN CARTRIDGE CO., East Alton, III., U. S. A.



Double Action Smokeless Powder

Bullets coated with Lubelty-Noncorrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W. R. F. cartridge loaded to increased pressure and velocity.

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

WRF-**HP-13**

K1235R



SUPER-X 22 W. R. F. (H. P.)

Loaded with mokeless powder and hollow point bullets coated with Lubaley (lubricating alloy) by a patented process. Reasonable care in the manufacture of these cartridges is guaranteed but no further responsibility is assumed. U. S. Pat. Nos. 2,106,107, 2,009,556, 2,008,389. 1,732,211, Can., 296,943.

WESTERN CARTRIDGE CO., East Alton, Ill., U. S. A.



Double Action Smokeless Powder

Bullets coated with Eubaloy-Noncorrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the 22 W. R. F. cartridge loaded to increased pressure and velocity. K1235R

SUPER-X Long Range Cartridges

W.R.F.—HOLLOW POINT

WRF-**HP-14**

K1235R



SUPER-X 22 W. R. F. (H. P.)

Loaded with mokeless powder and hollow point bullets coated with Lubalcy (Jubricating alloy) by a patented process. Reasonable care in the manufacture of these cartridges is guaranteed but no further responsibility is assumed. U. S. Pat. Nos. 2,106,107, 2,009,556, 2,008,389. 1,732,211, Can., 296,943.

WESTERN CARTRIDGE CO., East Alton, Ill., U. S. A.

Hollow Point) v Z. ш N

Double Action Smokeless Powder

Bullets coated with Lubeloy and Western lubricant. Non-corrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the .22 W. R. F. cartridge loaded to increased pressure and velocity. SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

WRF-**HP-15**

K1235R

RANGE 1 MILE 22 W. BE CAREFUL (Hollow Point) v R

22 W. R. F. (Hollow Point)

NOTE:

SUPER-22 on bottom

No "X" after **SUPER**

SUPER-22 W. R. F. (H. P.)

Loaded with smokeless powder and hollow point bullets coated with Lubaloy (lubricating alloy) by a patented process. Reasonable care in the manufacture of these cartridges is guaranteed but no further responsibility is assumed. U. S. Pat. Nos. 2 156,942. 2,106,107, 2,009,556, 2,008,889, 1,732,211, Can., 296,943. WESTERN CARTRIDGE COMPANY, East Alters, Ill., U.S.A.

S (Hollow Point) ਢ 20

BE CAREFUL

Double Action Smokeless Powder

Bullets coated with Lubaloy and Western lubricant. Non-corrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the .22 W. R. F. cartridge loaded to increased pressure and velocity. K1235R

SUPER-X Long Range Cartridges